

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	439	(pump or cylinder) with (piston or ram or plunger) with valve with (housing or casing or support) with (drive or actuator or motor or gear or geared or gearing or pinion)	US-PGPUB	OR	ON	2008/02/09 18:49
L2	14	(pump or cylinder) with (piston or ram or plunger) with valve with (housing or casing or support) with (drive or actuator or motor or gear or geared or gearing or pinion) with (coaxial or coaxially or aligned or alignment)	US-PGPUB	OR	ON	2008/02/09 18:51

L3	77	(pump or cylinder) with (piston or ram or plunger) with valve with (housing or casing or support) with (drive or actuator or motor or gear or geared or gearing or pinion) with ((in or inlet or inflow or input or intake) and (out or outlet or outflow or output or discharge or outtake))	US-PGPUB	OR	ON	2008/02/09 18:54
L4	41	(pump or cylinder) with (piston or ram or plunger) with ((valve) near2 (set or pair or two or couple or second or plural)) with (housing or casing or support) with (drive or actuator or motor or gear or geared or gearing or pinion)	US-PGPUB	OR	ON	2008/02/09 18:56
L5	117	2 or 3 or 4	US-PGPUB	OR	ON	2008/02/09 18:57

L6	8817	((222/41-50) or (222/333) or (222/309) or (141/116) or (417/559) or (417/563) or (417/564) or (417/566) or (417/569) or (417/571)). CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/09 19:04
L7	8814	6 not 5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/09 19:05

2/ 9/ 08 7:07:08 PM

C:\ Documents and Settings\ cjacyna\ My Documents\ EAST\ Workspaces\ 10811406.
wsp